

Supplementary Figure 1: HDACi Panabinostat and Valproate have no effects on AtT-20 cell viability; normal corticotrophs are resistant to SAHA. No difference was found between treatment and control groups in the viability of AtT-20 cells, as examined by MTT assay, after 24 h exposure to SAHA, Valproate, and Panobinostat (**A**). Normalized serum ACTH levels in nude mice treated with various concentrations of SAHA (0.5 to 2 mg) are not significantly affected after 3 h (**B**). Retinoic acid (10nM) reduced by 6% ACTH secretion by AtT20-cells compared to 58% when exposed to SAHA (2.5 μ M) (**C**). The AtT-20/D16/16 cell strain demonstrates increased COUP-TF1 expression levels (**D**). Horizontal bars represent mean \pm standard deviation. ACTH – adrenocorticotropic hormone, COUP-TF1 – chicken ovalbumin upstream promoter transcription factor 1.

Gene	Primer sequence
β-actin	Forward: 5'-TTCTTTGCAGCTCCTTCGTTGCCG; 3'
	Reverse: 3'-TTTGCACATGCCGGAGCCGTT-5'
bax	Forward: 5'-CAAACTGGTGCTCAAGGCC-3'
	Reverse: 3'-GCACTCCCGCCACAAAGAT-5'
bcl-2	Forward: 5'-CCGGGAGAACAGGGTATGAT-3'
	Reverse: 3'-CACCTTCTCCCAGCCCTTCG-5'
LXRα	Forward: 5'-GCGTCCATTCAGAGCAAGTGT-3'
	Reverse: 3'-TCACTCGTGGACATCCCAGAT-5'
RXRα	Forward: 5'-GACATACGTGGAGGCAAACATG-3'
	Reverse: 3'-GCTGCTTGACAGATGTTGGTAAC-5'
POMC	Forward: 5'-GTTCAAGAGGGAGCTGGAAGGCGA-3'
	Reverse: 3'-TTGCTCCAGCGGAAGTGCTCCA-5'

Supplementary Table 1. Primer sequences used for RT-qPCR.

Supplementary Materials and Methods

Nucleic acid extraction and amplification

DNA was extracted and purified with DNeasy Blood and Tissue Kit (Qiagen, Germany) following the manufacturer's protocol from the adenomas obtained intra-operatively. DNA was subsequently amplified using intron-spanning USP8 primers(1). PCR was carried out with

Platinum PCR SuperMix (Thermo Fischer Scientific, USA) according to the manufacturer's recommendations. Briefly, reaction was performed on 200 ng of DNA in a final volume of 50 μ l containing 22 U/mL recombinant Taq DNA polymerase complexed with Taq antibody, 22 mM Tris-HCl (pH 8.4), 55 mM KCl, 1.65 mM MgCl2, 220 μ M dGTP, 220 μ M dATP, 220 μ M dTTP, and 220 μ M dCTP. Thermocycling conditions were with an annealing temperature of 58 °C. Lastly, agarose gel (2%) electrophoresis confirmed the presence of a single band following PCR.

USP8 sequencing

Direct PCR products were sent for sequencing using Eurofins Genomics sequencing services.

Primer sets for USP8(1) were submitted with samples and further utilized for sequencing.

USP8 sequence alignment

Sequence similarity analysis was performed using the Basic Local Alignment Search Tool (BLAST)(2) of the National Center for Biotechnology Information (NCBI). Specifically, all human USP8 transcript variants (XM_006720761.3, XM_011522193.2, XM_006720762.3, XM_017022718.1, XM_017022719.1, XM_017022720.1, XM_017022721.1, XM_017022722.1) were aligned to sequenced patients' DNA samples.

References

Reincke M, Sbiera S, Hayakawa A, Theodoropoulou M, Osswald A, Beuschlein F,
Meitinger T, Mizuno-Yamasaki E, Kawaguchi K, Saeki Y, Tanaka K, Wieland T, Graf
E, Saeger W, Ronchi CLC, Allolio B, Buchfelder M, Strom TM, Fassnacht M,
Komada M, Buchfelder M, Fassnacht M, Masayuki Komada. Mutations in the
deubiquitinase gene USP8 cause Cushing's disease. *Nat. Genet.*

2014;47(December):31-38.

2. Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ. Basic local alignment search tool. *J. Mol. Biol.* 1990;215(3):403–10.